
Surface Mount Rubber Patch Thermocouple







Description

A stick on self-adhesive surface mount silicon rubber patch type K thermocouple type with flexible lead.

This range of silicone rubber patch thermocouples are ideal for surface temperature measurement of flat surfaces or curved pipes.

These sensors have foil backing for faster response time and are provided in type K thermocouple as standard, we can custom manufacture with many other sensor options, such as type J or T thermocouple.

The sensors are supplied with PFA insulated 7/0.2mm flat twin IEC coloured thermocouple wire complete with 50mm stripped tails. Also, they can be made to order with longer lead lengths or a connector to suit your application.

Features


- Type K Class 1 accuracy
- Self-Adhesive foil backing for faster response
- Flexible silicone rubber patch
- Temperature range -30 to +150°C

Specification

Product	Self Adhesive Backing Thermocouple
Туре	Туре К
Temp Range	-30 to +150C
Patch Size	16 x 37 mm, 16 x 50 mm (curved)
Lead length	1m to 5m or made to order
Lead wire	7/0.2 PFA/PFA flat twin
Accuracy	Class 1
Termination	50mm stripped wires
Part Number	TSSAB

Application

- Heating and ventilation ducts
- Pipes or curved surfaces
- Surface measurement



For more information visit: sterlingsensors.co.uk



Sterling Sensors UK Ltd

Fitmec Works: Hawksley Street: Oldham

United Kingdom : OL8 4PQ

T: +44 (0) 161 620 0410

F: +44 (0) 161 627 0507

E: sales@sterlingsensors.co.uk **W:** sterlingsensors.co.uk